

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/891,798	06/26/2001	Debarag N. Banerjee	US018086	1467
24737 759	90 06/30/2006		EXAMINER	
PHILIPS INTELLECTUAL PROPERTY & STANDARDS			GESESSE, TILAHUN	
P.O. BOX 3001	MANOR, NY 10510		ART UNIT PAPER NUMBER 2618	
BRIARCEILT	MARKON, INT. 10510			
			DATE MAILED: 06/30/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
Supplemental	09/891,798	BANERJEE, DEBARAG N.				
Notice of Allowability	Examiner	Art Unit				
	Tilahun B Gesessse	2684				
- The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to 11/4/04.						
1. ☑ This communication is responsive to <u>1.17-40-4</u> . 2. ☑ The allowed claim(s) is/are <u>1-3,6,9-16,19 and 22-34</u> .						
3. ☑ The drawings filed on 20 March 2002 are accepted by the Examiner.						
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 						
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.						
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.						
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying Indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the 						
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0) Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. Notice of Informal Page 6. Interview Summary Paper No./Mail Date 8), 7. Examiner's Amendre	atent Application (PTO-152) (PTO-413), 9				

Application/Control Number: 09/891,798 Page 2

Art Unit: 2618

DETAILED ACTION

1. This is in response to applicant's amendment and response filed November 4, 2004, in which claims 4-5,7-8,17-18, and 20-21 have been canceled and claims 1-3,6,9-16,19, and 22-34 are pending.

2. After further search and thorough examination of the present application and in view of applicant amendment and response, claims 1-3,6,9-16,19,22-34 are found to be in condition for allowance.

Allowable Subject Matter

3. The following is an examiner's statement of reasons for allowance: Jalali et al (US 6,154,659) teaches the symbol energy to noise density is estimated over a specified duration and the estimate compares to a target Es/No value and if the measured Es/No is greater than target and radiotelephone sends a power down command over a received power control signaling channel to the base station (abstract).

On the other hand, the present application specifically teaches a first circuit coupled to the demodulator for receiving the demodulated PCB, the first circuit determining a noise variation of the demodulated PCB from the perpendicular noise component; a second circuit coupled to the demodulator and the first circuit, the second circuit providing an estimate of the power value of the PCB by eliminating the noise variance of the perpendicular noise component from the demodulated PCB, and an estimator coupled to the first circuit and the second circuit, the estimator calculating the

Application/Control Number: 09/891,798

Art Unit: 2618

ratio of the power value estimate and the noise variance. These limitations, in conjunction with all other limitation of the independent claim, have not been disclosed, taught or made obvious over the prior art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tilahun B Gesesse whose telephone number is 571-272-7879. The examiner can normally be reached on flex.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nay Maung can be reached on 571-272-7882.

The Central FAX Number will change to 571-273-8300. This new Central FAX Number is the result of relocating the Central FAX server to the Office's Alexandria, Virginia campus.

CENTRALIZED DELIVERY POLICY: For patent related correspondence, hand carry deliveries must be made to the Customer Service Window (now located at the Randolph Building, 401 Dulany Street, Alexandria, VA 22314), and facsimile transmissions must be sent to the Central FAX number, unless an

Application/Control Number: 09/891,798 Page 4

Art Unit: 2618 -

exception applies.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

PRIMARY EXAMINER